



 PRODUCT-DETAILS

OFAF000H32

OFAF000H32 HRC FUSE LINK



General Information

Extended Product Type	OFAF000H32
Product ID	1SCA022627R0910
EAN	6417019205519
Catalog Description	OFAF000H32 HRC FUSE LINK
Long Description	OFAF000H32 HRC Fuse Link Size NH000, gG

Environmental

Environmental Information	1SCC317009D0201
---------------------------	-----------------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Minimum Order Quantity	9 piece
Customs Tariff Number	85361050
Country of Origin	Hungary (HU)

Popular Downloads

Data Sheet, Technical Information	1SCC317001C0201
Instructions and Manuals	No Instructions and Manuals needed

Dimensions

Product Net Width	21 mm
Product Net Height	79 mm
Product Net Depth / Length	53 mm
Product Net Weight	0.12 kg

Technical

Power Loss	at Rated Current 3.1 W
Fuse Size	NH000
Fuse System	DIN
Standards	IEC 60269
Fuse Type	gG
Rated Current (I _n)	32 A
Rated Voltage (U _r)	500 V

Certificates and Declarations

Declaration of Conformity - CE	1SCC317005D2706
--------------------------------	-----------------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	21 mm
Package Level 1 Depth / Length	79 mm
Package Level 1 Height	53 mm
Package Level 1 Gross Weight	1.134 kg
Package Level 1 EAN	6417019205519

Classifications

Object Classification	F
-----------------------	---

Code	
ETIM 8	EC000055 - Knife blade fuse
ETIM 9	EC000055 - Knife blade fuse
UNSPSC	39121600
eClass	V11.1 : 27142005
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3112032
E-Number (Sweden)	2040016

Categories

Low Voltage Products and Systems → Fusegear → Fuse Links

Low Voltage Products and Systems → Low Voltage Systems → IEC - Low Voltage Motor Control Centers → MNS 3.0 - MCC

Low Voltage Products and Systems → Service → Spares and Consumables → Parts

