



PRODUCT-DETAILS

CAL18X-11B

CAL18X-11B Auxiliary Contact Block



General Information	
Extended Product Type	CAL18X-11B
Product ID	1SFN019820R3311
EAN	7320500500378
Catalog Description	CAL18X-11B Auxiliary Contact Block
Long Description	CAL18X-11B Auxiliary Contact Block

Ordering	
Minimum Order Quantity	2 piece
Customs Tariff Number	85369010

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	N/A
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	64.5 mm
Product Net Depth / Length	17.1 mm
Product Net Height	74 mm
Product Net Weight	0.04 kg

Technical

Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	1
Mechanical Durability	10 million
Maximum Mechanical Switching Frequency	3600 cycles per hour
Degree of Protection	IP20
Terminal Type	Screw Terminals
Suitable For	AX185 AX205
Product Name	Auxiliary Contact Block

Environmental

Maximum Operating Altitude Permissible	Without Derating 3000 m
--	-------------------------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

CQC Certificate	CQC2013010305658795
Declaration of Conformity - CCC	2020980305001093
Declaration of Conformity - CE	2CMT2015-005449
Declaration of Conformity - UKCA	2CMT2020-006119
UL Certificate	20160916-E76003

Container Information

Package Level 1 Width	64.5 mm
Package Level 1 Depth / Length	74 mm
Package Level 1 Height	17.1 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	7320500500378

Classifications

Object Classification Code	K
ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
UNSPSC	39121529

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

