




---

 PRODUCT-DETAILS

## CR-M4LC

### CR-M4LC Logical socket for 2c/o or 4c/o CR-M relay




---

#### General Information

Extended Product Type	CR-M4LC
Product ID	1SVR405651R3200
EAN	4013614528699
Catalog Description	CR-M4LC Logical socket for 2c/o or 4c/o CR-M relay
Long Description	The CR-M4LC socket is from the CR-M (miniature) relay range. The logical socket is suitable for CR-M relays with 4 c/o (SPDT) output contacts. The socket has spring connection terminals. Pluggable function modules, holder and marker are available as accessories.

---

#### Ordering

EAN	4013614528699
Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

---

#### Popular Downloads

Data Sheet, Technical	2CDC110004C0210_05
-----------------------	--------------------

## Information

Instructions and Manuals	1SVC405650M9030
--------------------------	-----------------

## Dimensions

Product Net Width	31 mm
Product Net Height	42.5 mm
Product Net Depth / Length	95 mm
Product Net Weight	0.075 kg

## Technical

Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Logical socket for miniature relay 2 c/o or 4 c/o
Rated Operational Voltage	300 V
Output	none
Terminal Type	Spring Terminals
Rated Operational Current AC-12 ( $I_e$ )	(230 V) 10 A
Rated Insulation Voltage ( $U_i$ )	4 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

## Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 16 AWG Rigid 2x 20-16 AWG Stranded 2 x 20-16 AWG
Flammability According to UL94	V-0

## Environmental

Ambient Air Temperature	Operation -25 ... +85 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

## Material Compliance

RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

## Certificates and Declarations

CSA Certificate	CSA_262671_2785566
-----------------	--------------------

cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	160 mm
Package Level 1 Depth / Length	75 mm
Package Level 1 Height	105 mm
Package Level 1 Gross Weight	0.752 kg
Package Level 1 EAN	4013614380198

## Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Norway)	4187435

## Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

