S2C-S/H6R 1/3



PRODUCT-DETAILS

S2C-S/H6R

S2C-S/H6R Signal / Auxiliary Contact



General Information	
Extended Product Type	S2C-S/H6R
Product ID	2CDS200922R0001
EAN	4016779563819
Catalog Description	S2C-S/H6R Signal / Auxiliary Contact
Long Description	Choice through a selector between indication of the position of the device's contacts and signalling of a fault (overcurrent/short-circuit for MCBs and RCBOs, earth fault for RCCBs and RCBOs). Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series.

Technical	
Standards	CSA 22.2 No. 235
	GB/T 14048.5
	IEC/EN 60947-5-1
	UL 1077
Function	Signal / Auxiliary Contact
Suitable For	S200
	\$200M
	\$200P
	\$200S

S2C-S/H6R 2/3

	\$300P
	SN201L+SN201-IH
	SN201+SN201-IH
	SN201M+SN201-IH
	F200
	DS201
	DS202C
	DS200
	S-ARC1 DS-ARC1
Suitable for Product	Miniature Circuit Breaker
Class	Residual Current Device
Power Loss	0.5 W
	Maximum 0.5 W
Number of Auxiliary	0
Contacts NC	
Number of Auxiliary	0
Contacts NO	
Number of Auxiliary	1
Contacts CO (SPDT)	
Mounting Position	right

Material Compliance	
RoHS Information	9AKK108468A4564
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20230731
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
REACH Date	20231212
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	c151f68f-6fbb-44f7-badf-ba96efd56de4 Germany (DE)

Dimensions	
Product Net Width	8.8 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.043 kg

Ordering	
Package Level 1 Units	blister 1 piece
Package Level 1 Gross Weight	0.045 kg
E-Number (Finland)	3210835
E-Number (Sweden)	2102501

Certificates and Declarations	
Declaration of	9AKK108468A4564
Conformity - CE	

Installation	
Instructions and	GHS2007063P0019
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK106930A8017
Information	

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121522
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
Object Classification Code	Q

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ ABB\ VY\ \rightarrow\ Busbars\ and\ Accessories\ ABB\ VY\ \rightarrow\ Accessories\ ABB\ Accessories\ ABB\ Accessories\ ABB\ Acce$

 $Low\ Voltage\ Products\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ Accessories\ \rightarrow\ Auxiliary\ /\ Signal\ Contacts$

 $Medium\ Voltage\ Products\ and\ Systems \rightarrow Service \rightarrow Spares\ and\ Consumables \rightarrow Parts \rightarrow All\ Spare\ Parts\ (Relays-SWG-CB)$







