Product datasheet

Specifications



Acti9 analogue outdoor light sensor

cell

Local distributor code: 408113942

CCT15263

0011020

EAN Code: 3606489524654

Main

range of product	Acti9	
Product or component type	Wall mounted cell	
Function available	Horizontally orientable	

Complementary

Range compatibility	Acti9 Acti9 IC IC100 twilight switch Acti9 Acti9 IC IC2000 twilight switch Acti9 Acti9 IC IC2000P+ programmable twilight switch with time switch function
Cable length	50 m
Light intensity adjustment	22000 lux
Mounting location	Outdoor
Height	95 mm
Width	48 mm
Depth	45 mm
Net weight	40.5 g
Market segment	Residential Small commercial
Compatibility code	Wall mounted cell

Environment

Ambient air temperature for operation	-4070 °C
ambient air temp for storage/ transportation	-4070 °C
Relative humidity	100 %
IP degree of protection	IP55

Packing Units

0	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	6.5 cm
Package 1 Length	10 cm
Package 1 Weight	54 g
Unit Type of Package 2	BB1

Number of Units in Package 2	10
Package 2 Height	10.5 cm
Package 2 Width	12 cm
Package 2 Length	20 cm
Package 2 Weight	606 g
Unit Type of Package 3	S03
Number of Units in Package 3	60
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	4.184 kg

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

\bigtriangledown Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Νο
Packaging without single use plastic	Νο
EU RoHS Directive	Compliant
SCIP Number	7267ef83-877b-4767-8e69-8d32bf47494
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins