

Product data sheet

Specifications



AvatarOn, 2 switches for curtain, 10 A, 250 V, White

E8332C_WE

⚠ Discontinued on: May 19, 2023

⚠ Discontinued

Main

Range	AvatarOn
Device application	Control
Product or component type	Switch
Number of gangs	2 gangs
Colour tint	White

Complementary

Device presentation	Complete product
Device mounting	Flush
Switch function	Curtain
Clamping connection capacity	2 x 2.5 mm ² for solid cable(s) 2 x 2.5 mm ² for stranded cable(s) 3 x 1.5 mm ² for solid cable(s) 3 x 1.5 mm ² for stranded cable(s)
Rated current	10 A at 250 V AC 50/60 Hz
Material	Polycarbonate: grid plate Polycarbonate: base Polycarbonate: dolly Polycarbonate: frame
Load type	Inductive Resistive Fluorescent lamp Incandescent lamp
Connections - terminals	Brass terminal
Embedding depth	22.3 mm
Width	86 mm
Height	86 mm
Depth	32 mm

Environment

Maximum ambient air temperature for operation	35 °C
Relative humidity	0...95 %
Environmental characteristic	UV resistant
Operating altitude	2000
Standards	GB 16915.1

List Price displayed is VAT EXCLUSIVE.

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	3.4 cm
------------------	--------

Package 1 Width	8.6 cm
-----------------	--------

Package 1 Length	8.6 cm
------------------	--------

Package 1 Weight	74.0 g
------------------	--------

Unit Type of Package 2	BB1
------------------------	-----

Number of Units in Package 2	60
------------------------------	----

Package 2 Height	21.0 cm
------------------	---------

Package 2 Width	30.0 cm
-----------------	---------

Package 2 Length	39.5 cm
------------------	---------

Package 2 Weight	5.24 kg
------------------	---------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
---	---

Environmental Disclosure	Product Environmental Profile
--------------------------	---

Use Better

Materials and Substances

Minimum percentage of recycled plastic content	9
--	---

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-------------------	---------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

China RoHS Regulation	China RoHS declaration
-----------------------	--

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
---------------------	--

Take-back

No
