

# AvatarOn, 2 time delay switch, 4 A, 250 V, White

E8332PRL1\_WE

! Discontinued on: Jun 5, 2023

(!) Discontinued

#### Main

Range	AvatarOn
Product or component type	Time delay switch
Device presentation	Complete product

## Complementary

Device mounting	Flush
Number of gangs	2 gangs
Number of rocker	2
Actuator	Rocker
Fixing mode	Clip-in
Colour tint	White
Surface finish	Glossy
[le] rated operational current	Resistive: 4 A Inductive: 4 A
[Ue] rated operational voltage	250 V AC 5060 Hz
Clamping connection capacity	14 mm² for rigid cable(s) 14 mm² for stranded cable(s) 14 mm² for flexible cable(s)
Wire stripping length	12 mm
Material	PC (polycarbonate): base PC (polycarbonate): base cover PC (polycarbonate): grid plate PC (polycarbonate): surround PC (polycarbonate): dolly Brass: terminal cover
Height	86 mm
Width	86 mm
Depth	34 mm
Embedding depth	25 mm
Net weight	0.089 kg

#### **Environment**

IP degree of protection IP20

## **Packing Units**

List Price displayed is VAT EXCLUSIVE.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.4 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	82.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	60
Package 2 Height	21.0 cm
Package 2 Width	30.0 cm
Package 2 Length	39.5 cm
Package 2 Weight	5.745 kg

# **Environmental Data**

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure	Product Environmental Profile

### **Use Better**

Minimum percentage of recycled plastic content	9
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
China RoHS Regulation	China RoHS declaration

## **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations