

AvatarOn, socket-outlet,16A, 2 x 2P, universal, Dark Grey

E83426UES2_DG

Main

Product or component type	Socket-outlet Socket-outlet
Device presentation	Complete product
Load type	Resistive
Colour tint	Dark grey
Outlet poles configuration	2 x 2P
Outlet standard deviation	Universal
Colour tint	Dark grey

Complementary

Rated current	16 A at 250 V AC 50 Hz
Socket number	2
Clamping connection capacity	1 x 42 x 4 mm² for solid cable(s) 1 x 42 x 4 mm² for stranded cable(s) 1 x 2.52 x 2.5 mm² for solid cable(s) 1 x 2.52 x 2.5 mm² for stranded cable(s)
Connections - terminals	Brass pillar Folded terminal
Material	Polycarbonate grid plate Polycarbonate surround
Device mounting	Surface Flush
Width	86 mm
Height	86 mm
Depth	26.7 mm
Embedding depth	17 mm

Environment

IP degree of protection	IP20
Maximum ambient air temperature for operation	35 °C
Ambient air temperature for storage	-545 °C
Relative humidity	095 %
Environmental characteristic	No UV resistant
Operating altitude	5000 m
Standards	IEC 60884-1

List Price displayed is VAT EXCLUSIVE.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	100.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	1 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

Circularity Profile	No need of specific recycling operations
Take-back	No