

# Product datasheet

Specifications



## Vivace 1 Gang Category 6 Data Outlet with Shutter

KB31RJ6\_AS

! Discontinued

### Main

Range	Vivace
Device short name	KB31
product or component type	Data socket
Device application	Communication
Cover type	Shutter
device presentation	Complete mechanism
Colour tint	Aluminium silver

### Complementary

Connector type	M-110 keystone RJ45 connector
communication network category	6
Number of gangs	1 gang
Tightening torque	0.4 N.m
Material	Polycarbonate: grid plate Polycarbonate: surround Polycarbonate: base
device mounting	Flush
mounting support	Wall mounted
Fixing mode	By screw M3.5
Fixing center	60.3 mm
Width	86 mm
Height	86 mm
Projecting depth	8 mm
Embedding depth	35 mm
Data socket type	RJ45 Cat.6
Main colour tint	Aluminium silver

### Environment

Ambient air temperature for operation	-5...40 °C
Relative humidity	0...95 %
Environmental characteristic	Indoor use

---

Standards	FCC
-----------	-----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	8.6 cm
------------------	--------

---

Package 1 Width	5 cm
-----------------	------

---

Package 1 Length	8.6 cm
------------------	--------

---

Package 1 Weight	83.7 g
------------------	--------

---

Unit Type of Package 2	BB1
------------------------	-----

---

Number of Units in Package 2	10
------------------------------	----

---

Package 2 Height	15 cm
------------------	-------

---

Package 2 Width	19 cm
-----------------	-------

---

Package 2 Length	10 cm
------------------	-------

---

Package 2 Weight	907 g
------------------	-------

---

Unit Type of Package 3	CAR
------------------------	-----

---

Number of Units in Package 3	100
------------------------------	-----

---

Package 3 Height	31.5 cm
------------------	---------

---

Package 3 Width	50 cm
-----------------	-------

---

Package 3 Length	50 cm
------------------	-------

---

Package 3 Weight	8620 g
------------------	--------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations