

Bảng thông số sản phẩm

Thông số kỹ thuật



Interphase barriers, ComPacT NSX 400/630, set of 6 parts

LV432570

Main

Product or component type	Interphase barrier
Range compatibility	ComPacT new generation ComPacT NSX400 new generation ComPacT new generation ComPacT NSX630 new generation ComPacT new generation ComPacT NSX DC new generation NSX400 DC ComPacT new generation ComPacT NSX DC new generation NSX630 DC ComPacT ComPacT NSX400 ComPacT ComPacT NSX630 ComPacT Compact NSX400 DC ComPacT Compact NSX630 DC EasyPact EasyPact CVS400 EasyPact EasyPact CVS630 PowerPact PowerPact L ComPacT Compact INV ComPacT ComPacT INS
Accessory / separate part type	Insulation accessories
Quantity per set	Set of 6

Complementary

Product compatibility	Circuit-breaker Plug-in base
-----------------------	---------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	12.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	162.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	45
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.674 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric nhắm đến việc đạt được vị trí Net Zero vào năm 2050 thông qua các quan hệ đối tác chuỗi cung ứng, giảm vật liệu tác động và sự tuần hoàn thông qua chiến dịch "Use Better, Use Longer, Use Again" đang diễn ra của chúng tôi để kéo dài tuổi thọ sản phẩm và khả năng tái chế.

[Dữ liệu môi trường đã giải thích >](#)

[Cách chúng tôi đánh giá tính bền vững của sản phẩm >](#)

Ảnh hưởng môi trường



Accepted

Use Better

Vật liệu và Bao bì

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#)

**Pro-active compliance
(Product out of EU RoHS legal scope)**

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

PVC free **Yes**

Use Again

Đóng gói lại và tái sản xuất

Circularity Profile

No need of specific recycling operations

Halogen content performance

**Product contains halogen
above thresholds**

Take-back

No
