

S2C-H6R



Products → Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories
→ Auxiliary / Signal Contacts

Parts & Services → Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear
→ Gas Insulated Ring Main Units → SafeRing 36

Parts & Services → Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear
→ Gas Insulated Ring Main Units → SafeRing Air

Parts & Services → Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear
→ Gas Insulated Secondary Switchgear → SafePlus 36

Parts & Services → Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear
→ Gas Insulated Secondary Switchgear → SafePlus Air

General Information

Extended Product Type:	S2C-H6R
Product ID:	2CDS200912R0001
EAN:	4016779563826
Catalog Description:	S2C-H6R - Auxiliary Contact
Long Description:	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.

Additional Information

Accessory Type:	Auxiliary Contact
Core Credit:	0.00
Country of Origin:	Germany (DE)
Customs Tariff Number:	85365080
Data Sheet, Technical Information:	9AKK106930A8017
Declaration of Conformity - CE:	2CDK440030D2702
E-nummer:	2102500
EAN:	4016779563826
EPLAN Function Definition:	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 4_1_2
ETIM 4:	EC001286 - Auxiliary contact unit for distribution board
ETIM 5:	EC001286 - Auxiliary contact unit for distribution board
ETIM 6:	EC001286 - Auxiliary contact unit for distribution board
Environmental Information:	2CDK400571D0201
Function:	Auxiliary Contact
Industrial IT Certification Level:	0
Instructions and Manuals:	GHS2007074P0004
Invoice Description:	S2C-H6R Auxiliary Contact 1CO
Minimum Order Quantity:	1 piece
Package Level 1 EAN:	4016779678865
Package Level 1 Gross Weight:	0.045 kg
Package Level 1 Height:	115 mm
Package Level 1 Length:	104 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	20 mm
Package Level 2 EAN:	4016779946193
Package Level 2 Gross Weight:	7 kg
Package Level 2 Height:	560 mm

Package Level 2 Length:	1200 mm
Package Level 2 Units:	60 piece
Package Level 2 Width:	820 mm
Part Type:	New
Power Loss:	0,5 W
Product Main Type:	S2C
Product Name:	Auxiliary Contact
Product Net Depth:	69 mm
Product Net Height:	85 mm
Product Net Weight:	0.043 kg
Product Net Width:	8.8 mm
RoHS Date:	0335
RoHS Information:	2CDK440032D0203
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	S2C-H6R Auxiliary Contact
Standards:	UL 1077 GB14048.5 CSA Class 3215-30 CSA Class 3215-90 IEC/EN 60947-5-1
Suitable For:	S200 S200M S200P S200S SN201L SN201 SN201M F200 DS201 DS202C DS200
Suitable for Product Class:	Miniature Circuit Breaker Residual Current Device
Technical Information:	AUXILIARYCONTACT
eClass:	7.0 27143502

Product specific part data

Category	Switchgear Part Category
SafeRing 36	Auxiliary Contacts
SafePlus 36	Auxiliary Contacts
SafeRing Air	Auxiliary Contacts
SafePlus Air	Auxiliary Contacts

