

E 93N/32



Products → Low Voltage Products and Systems → Modular DIN Rail Products → Modular DIN Rail Components MDRCs → Fuse Holders

General Information

Extended Product Type:	E 93N/32
Product ID:	2CSM204733R1801
EAN:	8012542047339
Catalog Description:	E 93N/32 Fuse switch disconnecter
Long Description:	E 93N/32 is a fuseholder for overcurrent and short circuit protection. No blown fuse indicator.

Additional Information

Country of Origin:	Romania (RO)
Customs Tariff Number:	85361010
Data Sheet, Technical Information:	2CSC444002B0204
Declaration of Conformity - CE:	2CSC444002D2701
Dimensions:	1 module
EAN:	8012542047339
ETIM 4:	EC000036 - Miniature fuse holder
ETIM 5:	EC000036 - Miniature fuse holder
ETIM 6:	EC002705 - Holder for cylindrical fuse
Environmental Information:	See RoHS Information
Fuse Size:	Cylindr. IEC 10,3x38
Instructions and Manuals:	On the product's body
Invoice Description:	E 93N/32 Fuse switch disconnecter
Minimum Order Quantity:	1 piece
Number of Poles:	4
Number of Protected Poles:	3
Object Classification Code:	F
Options Provided:	No
Package Level 1 EAN:	8012542047346
Package Level 1 Gross Weight:	0.255 kg
Package Level 1 Height:	0.085 m
Package Level 1 Length:	0.064 m
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.105 m
Position of Neutral Terminals:	Right
Power Loss:	at Rated Operating Conditions per Pole 3 W
Product Main Type:	E 90
Product Name:	Fuse switch disconnecter
Product Net Depth:	0.064 m
Product Net Height:	0.085 m
Product Net Weight:	0.252 kg
Product Net Width:	0.070 m
Rated Current (I_n):	32 A
Rated Operational Voltage:	690 V AC
Rated Primary Current (I_{pn}):	32 A
RoHS Date:	1/1/2014
RoHS Information:	2CSC444011K2701
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Voltage Range:	690 V AC

